



## PASSENGER CAR AND LIGHT TRUCK PRODUCT GUIDE 2015-2016



## R&D Centers at a Glance

### Locations:

- European Technical Center in UK
- European R&D Center in Hannover, Germany
- North American R&D Center in Ohio, USA
- China R&D Center
- Indonesia R&D Center

A team of over 600 experienced R&D engineers in five cutting-edge facilities and top quality equipment ensure the upmost quality of tire production and delivery.

Apart from conducting our own research and development, we also collaborate with leading universities and research institutes around the world.

# Strong R&D Capabilities

**Our higher purpose: To make world-class quality tires**

We are consistently looking for new ways in every aspect of design and development to make our customers' journey to wherever they need to go as enjoyable as possible.

Our mission is much more than just the products that we make. It is what defines us, unites us, and inspires us to make a difference every day: in our company, our community, and our world.



<b>Table of Contents</b>		<b>Page</b>
PCR	<b>Corporate Social Responsibility</b>	2
	<b>Why Buy GT RADIAL?</b>	3
	<b>CHAMPIRO UHP<sup>AS</sup></b> - Ultra High Performance	6
	<b>CHAMPIRO UHP1</b> - Ultra High Performance	8
	<b>CHAMPIRO 228</b> - Premium Comfort	10
	<b>CHAMPIRO 128</b> - Comfort	12
	<b>MAXTOUR</b> - Mileage	14
	<b>CHAMPIRO 728</b> - Comfort	16
	<b>CHAMPIRO VP1</b> - All-Around Comfort	18
<b>CHAMPIRO 75</b> - Comfort	21	
SUV / 4x4	<b>CHAMPIRO 528</b> - Premium Performance SUV	24
	<b>SAVERO HT PLUS</b> - Light Truck and SUV	26
	<b>SAVERO HT2</b> - Highway Performance	28
	<b>ADVENTURO AT3</b> - Advanced All-Terrain	30
	<b>ADVENTURO A/T II</b> - All-Terrain	32
	<b>ADVENTURO A/T</b> - All-Terrain	34
	<b>ADVENTURO M/T</b> - Off Road Maximum Terrain	36
VAN	<b>MAXMILER EX</b> - Safety	40
	<b>MAXMILER X</b> - Mileage	42
	<b>SUPER TRAVELLER 668</b> - Heavy Duty	43
<b>Designation Load and Speed Index</b>		44
<b>Size Chart</b>		45



# Corporate Social Responsibility

**We take responsibility for our environment with:**

- Conservation programmes to offset carbon emissions and promote sustainable development
- Commitment to the development of environmentally friendly products
- ISO 14001 environmental management system certification
- Partnership with Conservation International

**Cutting-edge products designed with our drivers' needs in mind.**

- There are more than 600 internationally experienced engineers in research and development that achieve peak performance and develop top quality products.
- Five high-tech research centers and four testing facilities ensure optimization and performance of our tires in all conditions.



## WHY BUY GT RADIAL?

**GT RADIAL** takes pride in being at the forefront of new technology, constantly seeking new ways to improve the driving experience. These advances are made while always keeping the needs of various types of drivers in mind. Only after thorough research, analysis, and testing, the tires are developed for local markets depending on their specific conditions and requirements.

**GT RADIAL** is fully committed to maintaining the very highest standard of quality control procedures and has obtained ISO9001:2000 and ISO/TS16949:2009 accreditation for all manufacturing plants. In addition, the facilities have also obtained ISO14001-2004 Environmental Management System Accreditation.

All passenger tires produced by **GT RADIAL** are designed to meet or exceed the standards for all legal directives, regulations and standards. E-mark Safety and Noise Certification tests are performed and accredited by top level global and local organizations.

**GT RADIAL**'s research and development efforts have enabled the development of high quality global tires, and have also helped improve product design and production technology in maintaining a leading market position. In addition to in-house research and development capabilities, **GT RADIAL** also collaborates with various leading universities and top research institutions, including the National Quality Examination Centre for Rubber Tire, Smithers Research Laboratories in the USA, and TUV Automotive GmbH Tire/Wheel Test Centre in Germany.

**GT RADIAL** has also made a significant investment in its own tire testing facility, the European Technical Centre (ETC), which is located at the internationally acclaimed MIRA Ltd. (Motor Industry Research Association). The ETC provides development and evaluation capacity to **GT RADIAL**'s Research and Development Centre. The facility focuses on the development of quality tire products for worldwide applications in both the replacement and original equipment markets.





# PCR TIRE RANGE



CHAMPIRO UHPAS



CHAMPIRO UHP1



CHAMPIRO 228



CHAMPIRO I28



MAXTOUR



CHAMPIRO 728



CHAMPIRO VP1



CHAMPIRO 75

# ULTRA HIGH PERFORMANCE



## CHAMPIRO UHP<sup>AS</sup>

For vehicle owners requiring Ultra-High Performance or grand touring tires, the CHAMPIRO UHP AS delivers excellent straight-line stability, cornering grip, and braking capabilities in both dry and wet conditions, providing excellent grip and long tread life.



### Features

New, Advanced Tread Compound

Full Depth Sipes

Four Wide Circumferential Grooves

Center Rib Design

Rim Protector

### Benefits

- ▶ Delivers long tread life and grip performance in different seasons and conditions

- ▶ Provide improved performance throughout the life of the tire

- ▶ Reduces hydroplaning for improved wet performance

- ▶ Delivers straight line stability and crisp steering response

- ▶ Protects wheels from curb damage

# CHAMPIRO UHPAS

## ULTRA HIGH PERFORMANCE



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
20	40	275/40ZR20	106	Y	500AA	8.2	728	BSW
	45	245/45ZR20	103	Y	500AA	8.2	728	BSW
19	40	225/40ZR19	93	Y	500AA	8.2	663	BSW
	40	245/40ZR19	94	Y	500AA	8.2	679	BSW
	40	255/40ZR19	100	Y	500AA	8.2	687	BSW
	45	225/45ZR19	92	W	500AA	8.2	685	BSW
	45	245/45ZR19	98	Y	500AA	8.2	703	BSW
18	40	225/40ZR18	92	Y	500AA	8.2	637	BSW
	40	235/40ZR18	95	Y	500AA	8.2	645	BSW
	40	245/40ZR18	97	Y	500AA	8.2	653	BSW
	45	215/45ZR18	93	Y	500AA	8.2	651	BSW
	45	225/45ZR18	91	W	500AA	8.2	659	BSW
	45	235/45ZR18	94	W	500AA	8.2	669	BSW
	45	245/45ZR18	96	Y	500AA	8.2	677	BSW
	45	255/45ZR18	99	Y	500AA	8.2	687	BSW
	50	225/50ZR18	95	W	500AA	8.2	683	BSW
	50	235/50ZR18	101	W	500AA	8.2	693	BSW
17	45	215/45ZR17	91	W	500AA	8.2	626	BSW
	45	225/45ZR17	94	W	500AA	8.2	634	BSW
	45	235/45ZR17	97	W	500AA	8.2	644	BSW
	45	245/45ZR17	95	W	500AA	8.2	652	BSW
	45	255/45ZR17	98	W	500AA	8.2	662	BSW
	50	205/50ZR17	93	W	500AA	8.2	638	BSW
	50	215/50ZR17	91	W	500AA	8.2	648	BSW
	50	225/50ZR17	94	W	500AA	8.2	658	BSW
	55	215/55R17	94	V	500AA	8.2	668	BSW
	55	225/55ZR17	97	W	500AA	8.2	680	BSW
16	55	235/55ZR17	99	W	500AA	8.2	690	BSW
	45	205/45ZR16	87	W	500AA	8.2	590	BSW
	50	195/50R16	84	V	500AA	8.2	602	BSW
	50	205/50R16	87	V	500AA	8.2	612	BSW
	50	225/50ZR16	92	W	500AA	8.2	632	BSW
	50	245/50ZR16	97	W	500AA	8.2	652	BSW
	55	205/55R16	91	V	500AA	8.2	632	BSW
	55	225/55ZR16	95	W	500AA	8.2	654	BSW
15	60	225/60R16	98	V	500AA	8.2	676	BSW
	55	195/55R15	85	V	500AA	8.2	595	BSW
	55	205/55R15	88	V	500AA	8.2	607	BSW

UTQG Uniform Tire Quality Grade    BSW Black Side Wall

# ULTRA HIGH PERFORMANCE



## CHAMPIRO UHP1

A proven Ultra-High Performance tire designed to perform to high levels of stability, control, turn-in, and grip in the curves in both wet and dry.



### Features

Strong integrated shoulder blocks

High Silica content tread formula

Four deep, wide circumferential grooves

Center rib design

Optimized pitch variance tread design

### Benefits

- Improved cornering force and traction
- Improves wet and dry handling
- Ensures efficient water dispersion and wet performance
- Ensures linear stability and crisp steering response
- Reduces tire noise level for quieter ride

# CHAMPIRO UHP1

## ULTRA HIGH PERFORMANCE



Inch	Series	Size	Load Index	Speed Rating	UTQG	 Tread Depth mm	 Overall Diameter mm	Side Wall
20	35	255/35ZR20	97	W	280AAA	7.0	686	BSW
	35	225/35ZR19	84	W	280AAA	7.0	641	BSW
	35	235/35ZR19	91	W	280AAA	7.0	647	BSW
	35	245/35ZR19	93	W	280AAA	7.0	655	BSW
	35	255/35ZR19	96	W	280AAA	7.0	661	BSW
	40	255/40ZR19	96	W	280AAA	7.0	687	BSW
	45	225/45ZR19	96	W	280AAA	7.0	685	BSW
19	35	255/35ZR18	94	W	280AAA	7.0	635	BSW
	35	265/35ZR18	97	W	280AAA	7.0	643	BSW
	40	225/40ZR18	92	W	280AAA	7.0	637	BSW
	40	235/40ZR18	95	W	280AAA	7.0	645	BSW
	40	245/40ZR18	97	W	280AAA	7.0	653	BSW
	45	225/45ZR18	95	W	280AAA	7.0	659	BSW
	45	245/45ZR18	100	W	280AAA	7.0	677	BSW
	45	255/45ZR18	103	W	280AAA	7.0	687	BSW
	40	205/40ZR17	84	W	280AAA	7.0	596	BSW
	40	215/40ZR17	87	W	280AAA	7.0	604	BSW
18	40	245/40ZR17	91	W	280AAA	7.0	628	BSW
	45	205/45ZR17	88	W	280AAA	7.0	616	BSW
	45	215/45ZR17	91	W	280AAA	7.0	626	BSW
	45	225/45ZR17	94	W	280AAA	7.0	634	BSW
	45	235/45ZR17	97	W	280AAA	7.0	644	BSW
	45	245/45ZR17	99	W	280AAA	7.0	652	BSW
	50	205/50ZR17	93	W	280AAA	7.0	638	BSW
	50	215/50ZR17	95	W	280AAA	7.0	648	BSW
	50	225/50ZR17	98	W	280AAA	7.0	658	BSW
	55	215/55ZR17	94	W	280AAA	7.0	668	BSW
	55	225/55ZR17	101	W	280AAA	7.0	680	BSW
	40	215/40ZR16	86	W	280AAA	7.0	578	BSW
	45	195/45R16	84	V	280AAA	7.0	582	BSW
17	45	205/45ZR16	87	W	280AAA	7.0	590	BSW
	50	195/50R16	88	V	280AAA	7.0	602	BSW
	50	205/50ZR16	91	W	280AAA	7.0	612	BSW
	50	225/50ZR16	96	W	280AAA	7.0	632	BSW
	55	195/55R16	91	V	280AAA	7.0	620	BSW
	55	205/55ZR16	94	W	280AAA	7.0	632	BSW
	55	205/55R16	91	V	280AAA	7.0	632	BSW
	55	215/55ZR16	97	W	280AAA	7.0	642	BSW
	55	225/55ZR16	99	W	280AAA	7.0	654	BSW
	45	195/45R15	78	V	280AAA	7.0	557	BSW
	50	195/50R15	82	V	280AAA	7.0	577	BSW
15	50	205/50R15	89	V	280AAA	7.0	587	BSW
	55	195/55R15	85	V	280AAA	7.0	595	BSW
	55	205/55R15	88	V	280AAA	7.0	607	BSW

UTQG Uniform Tire Quality Grade    BSW Black Side Wall



**PREMIUM COMFORT**

## **CHAMPIRO 228**

CHAMPIRO 228 combines wet handling capabilities and premium driving comfort with high safety standards.



### **Features**

New Compound with NANOTEK Silica Technology

“Frequency Disturber” tread design

Z Sipes on shoulder blocks

4 Wide longitudinal grooves

### **Benefits**

- ▶ Provides excellent grip on wet and dry roads
- ▶ Cancels out noise signals to provide a quieter ride
- ▶ Decreases noise without compromising vehicle cornering performance
- ▶ Ensures quick water evacuation to prevent aquaplaning

# CHAMPIRO 228

PREMIUM COMFORT



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
<b>18</b>	60	225/60R18	100	V	320AA	8.4	727	BSW
17	50	225/50R17	94	V	320AA	8.1	658	BSW
	50	235/50R17	96	V	320AA	8.2	668	BSW
17	55	215/55R17	94	V	320AA	8.1	668	BSW
	55	235/55R17	99	H	380AA	8.2	690	BSW
16	65	215/65R17	99	H	380AA	8.1	712	BSW
	50	205/50R16	87	V	320AA	8.0	612	BSW
	55	195/55R16	91	H	380AA	7.6	620	BSW
	55	195/55R16	87	V	320AA	7.6	620	BSW
	55	205/55R16	91	H	380AA	8.0	632	BSW
	55	205/55R16	91	V	320AA	8.0	632	BSW
	55	215/55R16	93	V	320AA	8.1	642	BSW
	55	225/55R16	95	V	320AA	8.1	654	BSW
	60	195/60R16	89	H	380AA	7.9	640	BSW
	60	205/60R16	92	V	320AA	8.0	652	BSW
15	60	215/60R16	95	V	320AA	8.1	664	BSW
	60	225/60R16	98	V	320AA	8.1	676	BSW
	50	195/50R15	82	V	320AA	7.9	577	BSW
	50	195/50R15	82	H	380AA	7.9	577	BSW
	55	185/55R15	82	V	320AA	7.8	585	BSW
	55	195/55R15	85	V	320AA	7.9	595	BSW
	60	185/60R15	84	H	380AA	7.7	603	BSW
	60	195/60R15	88	V	320AA	7.9	615	BSW
	60	205/60R15	91	V	320AA	8.0	627	BSW
	60	215/60R15	94	H	380AA	8.1	639	BSW
14	65	185/65R15	88	H	380AA	7.8	621	BSW
	65	195/65R15	91	V	320AA	7.9	635	BSW
	65	195/65R15	91	H	380AA	7.9	635	BSW
	65	205/65R15	94	V	320AA	8.0	647	BSW
	55	185/55R14	80	H	380AA	7.8	560	BSW
14	60	185/60R14	82	H	380AA	7.8	578	BSW
	60	195/60R14	86	H	380AA	7.9	590	BSW
	65	185/65R14	86	H	380AA	7.8	596	BSW


**UTQG** Uniform Tire Quality Grade    **BSW** Black Side Wall



**COMFORT**

## CHAMPIRO 128

The CHAMPIRO 128 tire is an ideal choice for drivers desiring high-performance control attributes and outstanding mileage.



### Features

- Special compound and deeper tread depth
- Optimized casing profile and variable pitch
- Circumferential central rib with interlocking blocks and lugs
- Dynamic pattern with 4 wide straight grooves
- Extended shoulder grooves

### Benefits

- ▶ Provides high mileage in daily driving
- ▶ Quite and comfort driving
- ▶ Enhances handling, traction and braking
- ▶ Effective water drainage for superb wet performance
- ▶ Provides enhanced cornering

# CHAMPIRO I28

## COMFORT



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
17	55	225/55R17	97	V	260AA	8.1	680	BSW
16	55	205/55R16	91	V	260AA	8	632	BSW
	55	215/55R16	93	V	260AA	8.1	642	BSW
	60	205/60R16	92	H	460AA	8.2	652	BSW
	60	215/60R16	95	H	460AA	8.3	664	BSW
	60	225/60R16	98	H	460AA	8.4	676	BSW
	60	235/60R16	100	H	460AA	8.5	688	BSW
15	55	195/55R15	85	V	260AA	7.9	595	BSW
	60	185/60R15	88	H	460AA	8.1	603	BSW
	60	195/60R15	88	H	460AA	8.1	615	BSW
	60	205/60R15	91	H	460AA	8.2	627	BSW
	65	185/65R15	88	H	460AA	8.1	621	BSW
	65	195/65R15	91	H	460AA	8.1	635	BSW
	65	205/65R15	94	H	460AA	8.2	647	BSW
	65	215/65R15	96	H	460AA	8.3	661	BSW
	60	165/60R14	75	H	460AA	7.9	554	BSW
14	60	175/60R14	79	H	460AA	8	566	BSW
	60	185/60R14	82	H	460AA	8.1	578	BSW
	60	195/60R14	86	H	460AA	8.1	590	BSW
	65	165/65R14	79	T	460AA	7.9	570	BSW
	65	175/65R14	82	H	460AA	8	584	BSW
	65	185/65R14	86	H	460AA	8.1	596	BSW
	65	195/65R14	89	H	460AA	8.1	610	BSW
	13	65	165/65R13	77	T	460AA	7.9	544

UTQG Uniform Tire Quality Grade    BSW Black Side Wall

**MILEAGE**



## MAXTOUR

MAXTOUR offers high mileage, due to its durable and long-lasting components. The tire is designed to achieve maximum tread life without compromising performance.



### Features

- Advanced tread pattern
- Special structure design
- Enhanced tread compound and low sea-land-ratio

### Benefits

- ▶ Smooth, quiet and comfort
- ▶ Reliable endurance and durability
- ▶ Extended tread life

# MAXTOUR

## MILEAGE



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
17	60	215/60R17	96	T	620AB	9.3	690	BSW
	60	P225/60R17	98	T	620AB	9.3	702	BSW
	65	235/65R17	104	T	620AB	9.5	738	BSW
16	60	215/60R16	95	T	620AB	9.3	664	BSW
	60	225/60R16	98	T	620AB	9.4	676	BSW
	60	235/60R16	100	T	620AB	9.5	688	BSW
	65	215/65R16	98	T	620AB	9.3	686	BSW
	70	225/70R16	103	T	620AB	9	722	BSW
	70	235/70R16	106	T	620AB	9.1	736	BSW
15	60	195/60R15	88	T	620AB	9.1	615	BSW
	60	205/60R15	91	T	620AB	9.2	627	BSW
	65	185/65R15	88	T	620AB	9	621	BSW
	65	195/65R15	91	T	620AB	9.1	635	BSW
	65	205/65R15	94	T	620AB	9.2	647	BSW
	65	215/65R15	96	T	620AB	9.3	661	BSW
	70	205/70R15	96	T	620AB	8.8	669	WR
	70	205/70R15	96	T	620AB	8.8	669	BSW
	70	215/70R15	98	T	620AB	8.9	683	WR
	70	215/70R15	98	T	620AB	8.9	683	BSW
	70	225/70R15	100	T	620AB	9	697	BSW
	70	235/70R15	103	T	620AB	9.1	711	WR
	70	235/70R15	103	T	620AB	9.1	711	BSW
	75	205/75R15	97	T	620AB	9.4	689	BSW
	75	215/75R15	100	T	620AB	9.5	703	BSW
	75	225/75R15	102	T	620AB	9.6	719	BSW
	75	235/75R15	105	T	620AB	9.7	733	BSW
14	60	185/60R14	82	T	620AB	9	578	BSW
	60	195/60R14	86	T	620AB	9.1	590	BSW
	65	175/65R14	82	T	620AB	8.9	584	BSW
	65	185/65R14	86	T	620AB	9	596	BSW
	70	185/70R14	88	T	620AB	9.2	616	BSW
	70	195/70R14	91	T	620AB	8.7	630	BSW
	70	205/70R14	95	T	620AB	8.8	644	BSW
	75	185/75R14	89	T	620AB	9.2	634	BSW
	75	195/75R14	92	T	620AB	9.3	648	BSW
	75	205/75R14	95	T	620AB	9.4	664	BSW
13	80	175/80R14	88	T	620AB	8.8	636	BSW
	80	185/80R14	91	T	620AB	8.9	652	BSW
12	70	175/70R13	82	T	620AB	9.1	576	BSW
	70	185/70R13	86	T	620AB	9.2	590	BSW
12	70	145/70R12	69	T	620AB	8.8	509	BSW
	70	155/70R12	73	T	620AB	8.9	523	RWL
	70	155/70R12	73	T	620AB	8.9	523	BSW
	70	165/70R12	77	T	620AB	9	537	RWL
	70	165/70R12	77	T	620AB	9	537	BSW
	80	145/80R12	74	T	620AB	8.5	537	BSW

UTQG Uniform Tire Quality Grade    BSW Black Side Wall    WR White Ring    RWL Raised White Letter



**COMFORT**

## CHAMPIRO 728

CHAMPIRO 728 is built to provide comfort and deliver high-mileage driving.



### Features

Circumferential center ribs

Variable pitch pattern

Special Compound

### Benefits

- ▶ Delivers excellent handling and maneuverability
- ▶ Quiet and comfortable ride
- ▶ Provides high mileage

# CHAMPIRO 728

## COMFORT



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
15	70	195/70R15	97	T	460AA	7.8	655	BSW
	70	205/70R15	96	H	460AA	7.9	669	BSW
	70	215/70R15	98	H	460AA	8	683	BSW
14	70	165/70R14	81	T	460AA	7.6	588	BSW
	70	175/70R14	84	H	460AA	7.7	602	BSW
	70	185/70R14	88	H	460AA	7.8	616	BSW
	70	195/70R14	96	T	460AA	7.8	630	BSW
	70	205/70R14	98	H	460AA	7.9	644	BSW
13	70	145/70R13	71	T	460AA	7.4	534	BSW
	70	155/70R13	75	T	460AA	7.6	548	BSW
	70	165/70R13	79	T	460AA	7.6	562	BSW
	70	175/70R13	82	H	460AA	7.7	576	BSW
	70	185/70R13	86	H	460AA	7.3	590	BSW

**UTQG** Uniform Tire Quality Grade    **BSW** Black Side Wall

## ALL-AROUND COMFORT



## CHAMPIRO VP1

As a versatile tire, CHAMPIRO VP1 balances control, comfort, security and high mileage in all weather conditions. It is designed especially for drivers of family sedans, wagons and crossovers.



### Features

Four deep, wide circumferential tread grooves

Stable shoulder block with lateral grooves

Continuous circumferential center rib

Optimized tread block design with integral lateral grooves and sipes

Advanced tread compound

### Benefits

► Provide excellent water channeling and anti-hydroplaning performance

► Reduces tread block movement and ensures quick steering response and cornering grip

► Improves straight line stability

► Provides wet handling capabilities and reduces road noise

► Generates excellent grip in wet and dry conditions, and delivers reduced rolling resistance for better fuel efficiency

# CHAMPIRO VP1

ALL-AROUND COMFORT



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
18	60	P225/60R18	99	H	420AB	8.1	727	BSW
	60	P235/60R18	102	H	420AB	8.1	739	BSW
	65	P235/65R18	104	T	420AB	8.1	763	BSW
17	50	215/50R17	95	V	420AB	8	648	BSW
	50	225/50R17	94	V	420AB	8.1	658	BSW
	55	215/55R17	94	V	420AB	8	668	BSW
	55	225/55R17	97	V	420AB	8.1	680	BSW
	55	235/55R17	99	H	420AB	8.1	690	BSW
	60	P215/60R17	95	T	420AB	8	690	BSW
	60	P225/60R17	98	T	420AB	8.1	702	BSW
	60	235/60R17	102	T	420AB	8.1	714	BSW
	65	P215/65R17	98	T	420AB	8	712	BSW
	65	225/65R17	102	H	420AB	8.1	724	BSW
	65	P235/65R17	103	T	420AB	8.1	738	BSW
16	55	195/55R16	91	H	420AB	7.9	620	BSW
	55	205/55R16	91	H	420AB	8	632	BSW
	55	205/55R16	91	V	420AB	8	632	BSW
	60	P205/60R16	91	V	420AB	7.9	652	BSW
	60	205/60R16	92	H	420AB	7.9	652	BSW
	60	215/60R16	95	H	420AB	8	664	BSW
	60	P215/60R16	94	V	420AB	8	664	BSW
	60	P215/60R16	94	H	420AB	8	664	BSW
	60	P215/60R16	94	T	420AB	8	664	BSW
	60	P225/60R16	97	T	420AB	8.1	676	BSW
	60	225/60R16	98	H	420AB	8.1	676	BSW
	60	P235/60R16	99	T	420AB	8.1	688	BSW
	60	235/60R16	100	H	420AB	8.1	688	BSW
	65	215/65R16	98	T	420AB	8	686	BSW
15	65	225/65R16	100	H	420AB	8.1	698	BSW
	65	235/65R16	103	T	420AB	8.1	712	BSW
	50	195/50R15	82	V	420AB	7.9	577	BSW
	55	185/55R15	82	H	420AB	7.8	585	BSW
	55	195/55R15	85	H	420AB	7.9	595	BSW
	60	185/60R15	84	H	420AB	7.8	603	BSW
	60	P185/60R15	84	T	420AB	7.7	603	BSW
	60	P195/60R15	87	T	420AB	7.8	615	BSW
	60	195/60R15	88	H	420AB	7.8	615	BSW
	60	205/60R15	91	V	420AB	7.9	627	BSW
	60	205/60R15	91	H	420AB	7.9	627	BSW
	60	215/60R15	94	H	420AB	8	639	BSW

UTQG Uniform Tire Quality Grade    BSW Black Side Wall

# CHAMPIRO VP1

ALL-AROUND COMFORT



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
15	65	195/65R15	91	H	420AB	7.8	635	BSW
	65	195/65R15	95	T	420AB	7.8	635	BSW
	65	195/65R15	91	T	420AB	7.8	635	BSW
	65	P205/65R15	92	T	420AB	7.9	647	BSW
	65	205/65R15	94	H	420AB	7.9	647	BSW
	65	215/65R15	96	H	420AB	8	661	BSW
	65	P215/65R15	95	T	420AB	8	661	BSW
	70	P205/70R15	95	T	420AB	7.9	669	BSW
	70	P215/70R15	97	T	420AB	8	683	BSW
	70	P225/70R15	100	T	420AB	8.1	697	BSW
	70	P235/70R15	102	T	420AB	8.1	711	BSW
	75	P205/75R15	97	S	420AB	7.9	689	BSW
	75	P215/75R15	100	S	420AB	8	703	BSW
	75	P225/75R15	102	S	420AB	8.1	719	BSW
	75	P235/75R15	105	S	420AB	8.1	733	BSW
14	60	185/60R14	82	H	420AB	7.7	578	BSW
	60	195/60R14	86	H	420AB	7.8	590	BSW
	65	155/65R14	75	T	420AB	7.4	558	BSW
	65	165/65R14	79	T	420AB	7.5	570	BSW
	65	175/65R14	82	T	420AB	7.6	584	BSW
	65	P185/65R14	85	T	420AB	7.7	596	BSW
	65	185/65R14	86	H	420AB	7.7	596	BSW
	65	195/65R14	89	T	420AB	7.7	610	BSW
	70	165/70R14	81	T	420AB	7.5	588	BSW
	70	175/70R14	88	T	420AB	7.6	602	BSW
	70	185/70R14	88	H	420AB	7.7	616	BSW
	70	195/70R14	91	T	420AB	7.8	630	BSW
	70	205/70R14	98	T	420AB	7.9	644	BSW
	75	185/75R14	89	T	320AB	7.8	634	BSW
	75	P195/75R14	92	S	420AB	7.8	648	BSW
	75	P205/75R14	95	S	420AB	7.9	664	BSW
13	60	175/60R13	77	H	420AB	7.7	540	BSW
	65	155/65R13	73	T	420AB	7.4	532	BSW
	65	165/65R13	77	T	420AB	7.5	544	BSW
	70	145/70R13	71	T	420AB	7.3	534	BSW
	70	155/70R13	75	T	420AB	7.4	548	BSW
	70	165/70R13	79	T	420AB	7.5	562	BSW
	70	175/70R13	82	T	420AB	7.6	576	BSW
	70	185/70R13	86	T	420AB	7.7	590	BSW
12	80	155/80R12	77	T	420AB	7.4	553	BSW

UTQG Uniform Tire Quality Grade    BSW Black Side Wall



**COMFORT**



## CHAMPIRO 75

The white-sidewall 75 series CHAMPIRO 75 is a perfect choice for drivers who desire comfort and good mileage.

### Features

Variable pitch pattern

Special compound and deeper tread depth

Wide tread and wide lateral grooves

### Benefits

► Quiet and comfortable ride

► Provides high mileage

► Excellent handling and maneuverability

Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
15	75	P205/75R15	97	S	460AB	8.4	689	WR
	75	P215/75R15	100	S	460AB	9.1	703	OWL
	75	P215/75R15	100	S	460AB	9.1	703	WR
	75	P225/75R15	102	S	460AB	9.2	719	OWL
	75	P225/75R15	102	S	460AB	9.2	719	WR
	75	P235/75R15	105	S	460AB	9.3	733	OWL
14	75	P235/75R15	105	S	460AB	9.3	733	WR
	75	P185/75R14	89	S	460AB	8.2	634	WR
	75	P195/75R14	92	S	460AB	8.3	648	WR
	75	P205/75R14	95	S	460AB	8.4	664	WR

UTQG Uniform Tire Quality Grade   OWL Outline White Letter   WR White Ring

# **4x4/SUV SUMMER TIRE RANGE**





CHAMPIRO 528



SAVERO HT PLUS



SAVERO HT2

ADVENTURO AT<sup>3</sup>

ADVENTURO A/T II



ADVENTURO A/T



ADVENTURO M/T


## GT Radial Application Recommendation

Refer to the descriptions below to see which pattern type gives you the best performance in different road conditions.

★ Average   ★★ Fair   ★★★ Excellent



Paved



Sand



Light mud



Heavy mud



Light snow

UHP	High speed handling Quiet and comfortable ride	SUV SPORT CHAMPIRO 528	★★★				
HT	Mainly used on well paved roads Occasional use on unpaved roads Quiet and comfortable ride	SAVERO HT PLUS SAVERO HT2	★★★		★		
A/T	Flexible in a variety of applications Better road and light mud traction Comfortable ride	ADVENTURO AT <sup>3</sup> ADVENTURO AT II ADVENTURO AT	★★	★	★★	★	★
M/T	Mainly used Off road Better damage resistance Extra traction for all season use	ADVENTURO M/T	★	★★	★★★	★★★	★



**PREMIUM PERFORMANCE SUV**

## CHAMPIRO 528

CHAMPIRO 528 has a modern appearance that goes along with its top-level performance. This premium SUV tire delivers the control, handling and stability that performance SUV drivers demand.



### Features

Unique and dynamic tread design with progressive elements

Streamlined high-angle grooves

Wide casing profile and variable pitch design

Rim Protector

### Benefits

- ▶ Outstanding handling stability
- ▶ Efficient water dispersion at high speeds and wet traction
- ▶ Comfortable and quiet performance
- ▶ Protects wheels from curb damage

# CHAMPIRO 528

PREMIUM PERFORMANCE SUV



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
22	35	265/35R22	102	V	300AA	8.3	745	BSW
	40	305/40R22	114	V	300AA	8.7	803	BSW
	45	285/45R22	114	V	300AA	8.5	815	BSW
	45	305/45R22	118	V	300AA	8.7	833	BSW
20	45	275/45R20	110	V	300AA	8.4	756	BSW
	50	285/50R20	116	V	300AA	8.5	794	BSW
	50	295/50R20	118	V	300AA	8.6	804	BSW
	55	275/55R20	117	V	300AA	8.6	810	BSW
19	50	255/50R19	103	V	300AA	8.4	739	BSW
18	55	255/55R18	109	V	300AA	8.4	737	BSW
	60	235/60R18	103	V	300AA	8.3	739	BSW
17	65	235/65R17	104	V	300AA	8.3	738	BSW

UTQG Uniform Tire Quality Grade    BSW Black Side Wall



Wide tread contact patch provides excellent grip, maneuverability and braking




Circumferential central rib for high speed stability and control



Streamlined pattern and dual circumferential grooves for ultra-efficient water evacuation and wet traction



Robust shoulder pattern design provides tread stability, efficient response and precise cornering






**LIGHT TRUCK AND SUV**

## **SAVERO HT PLUS**

SAVERO HT PLUS is designed especially for pick-ups, light trucks, and SUVs to deliver a high degree of both comfort and control and long mileage.



### **Features**

Four vertical circumferential groove

Interlaced streamline horizontal grooves, assist with complex striae edge grooves

Open shoulder grooves

“S” shape perfect structure design

### **Benefits**

► High-speed performance and excellent water dispersion

► Improved traction also suitable for snow driving

► Better heat desperation and turning capability

► Improved handling and durability

# SAVERO HT PLUS

## LIGHT TRUCK AND SUV



Inch	Series	Size	Load Index	Speed Rating	UTQG	 Tread Depth mm	 Overall Diameter mm	Side Wall
<b>18</b>	65	P235/65R18	104	T	460AB	10.3	763	OWL
<b>17</b>	60	235/60R17	102	H	460AA	8.5	714	BSW
	65	P235/65R17	104	T	460AB	10.3	738	BSW
	65	P245/65R17	105	T	460AB	10.3	750	BSW
	65	265/65R17	112	T	460AB	10.3	776	BSW
	65	265/65R17	112	T	460AB	10.3	776	OWL
	70	225/70R17	108	T	460AB	10.3	748	OWL
	70	LT245/70R17	119/116	R	-	11.9	776	BSW
	70	P245/70R17	108	T	460AB	10.3	776	OWL
	70	P265/70R17	113	T	460AB	10.3	804	OWL
<b>16</b>	70	215/70R16	100	H	460AA	10.3	708	BSW
	70	225/70R16	103	T	460AB	10.3	722	OWL
	70	235/70R16	106	T	460AB	10.3	736	OWL
	70	245/70R16	111	T	460AB	10.3	750	OWL
	70	245/70R16	107	T	460AB	10.3	750	OWL
	70	255/70R16	111	T	460AB	10.3	764	OWL
	70	265/70R16	112	T	460AB	10.3	778	OWL
	75	LT225/75R16	115/112	R	-	11.9	744	BSW
	75	LT265/75R16	119/116	R	-	11.9	804	OWL
	85	LT235/85R16	120/116	R	-	11.9	806	BSW
<b>15</b>	75	P235/75R15	105	T	460AB	10.3	733	OWL
	80	215/80R15	102	S	460AB	10.2	725	BSW
	-	31x10.50R15LT	109	R	-	12.7	781	OWL


UTQG Uniform Tire Quality Grade    BSW Black Side Wall    OWL Outline White Letter

# HIGHWAY PERFORMANCE



## SAVERO HT2

SAVERO HT2 is a premium all-season highway light truck and SUV tire. It features a superior tread design that provides strong handling in both wet and dry condition, delivering a comfortable ride and long mileage.



### Features

Superior tread pattern design

New tread compound

Optimized casing tension technology

Advanced noise cancelling technology  
in tread block design

### Benefits

► Excellent handling and ride comfort

► Outstanding grip and stability

► Excellent balance of dry and wet handling

► Effectively reduces road noise

# SAVERO HT2

## HIGHWAY PERFORMANCE



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
<b>20</b>	60	P275/60R20	114	S	520AB	8.2	838	OWL
<b>18</b>	60	P245/60R18	104	T	520AB	8.2	751	BSW
	60	P265/60R18	109	T	520AB	8.2	775	OWL
	65	P235/65R18	104	T	520AB	8.2	763	OWL
	70	P255/70R18	112	T	520AB	8.2	815	BSW
<b>17</b>	60	P275/60R17	110	T	520AB	8.2	762	OWL
	65	P235/65R17	103	T	520AB	8.2	738	BSW
	65	P245/65R17	105	T	520AB	8.2	750	BSW
	65	P255/65R17	108	S	520AB	8.2	764	BSW
	65	P265/65R17	110	T	520AB	8.2	776	OWL
	65	P275/65R17	113	T	520AB	8.2	790	OWL
	70	P235/70R17	108	S	520AB	8.2	762	OWL
	70	P245/70R17	108	T	520AB	8.2	776	OWL
	70	LT245/70R17	119/116	R	-	10.2	776	BSW
	70	P265/70R17	113	T	520AB	8.2	804	OWL
	70	LT265/70R17	121/118	R	-	10.2	804	OWL
<b>16</b>	65	P255/65R16	106	S	520AB	8.2	738	BSW
	70	P215/70R16	99	T	520AB	8.2	708	BSW
	70	P225/70R16	101	T	520AB	8.2	722	OWL
	70	P235/70R16	104	T	520AB	8.2	736	OWL
	70	P245/70R16	106	T	520AB	8.2	750	OWL
	70	P255/70R16	109	T	520AB	8.2	764	OWL
	70	P265/70R16	111	T	520AB	8.2	778	OWL
	70	275/70R16	114	H	520AB	8.2	792	OWL
	75	LT225/75R16	115/112	R	-	10.2	744	BSW
	75	P235/75R16	106	T	520AB	8.2	758	BSW
	75	P245/75R16	109	T	520AB	8.2	774	OWL
	75	LT245/75R16	120/116	R	-	10.2	774	OWL
	75	P265/75R16	114	T	520AB	8.2	804	OWL
	75	LT265/75R16	123/120	R	-	10.2	804	OWL
	85	LT235/85R16	120/116	R	-	10.2	806	BSW
<b>15</b>	70	P215/70R15	97	S	520AB	8.2	683	BSW
	70	255/70R15C LT	112/110	S		10.2	739	OWL
	75	P235/75R15	105	T	520AB	8.2	733	OWL
	75	LT235/75R15	104/101	R	-	10.2	733	OWL
	-	30x9.50R15	104	R	-	10.2	750	OWL
	-	31x10.50R15LT	109	R	-	10.2	775	OWL

**UTQG** Uniform Tire Quality Grade    **BSW** Black Side Wall    **OWL** Outline White Letter

# ADVANCED ALL-TERRAIN



## ADVENTURO AT<sup>3</sup>

The ADVENTURO AT3 is an all-terrain tire designed for light truck and SUV drivers seeking aggressive looks with civilized on-road manners. The tire provides excellent handling and wet grip, with a comfortable ride on-road and superb off-road capability.



### Features

- Enhanced tread compound
- Interlocked tread blocks and S-shaped central rib
- 3D grooves with chamfered edges
- Five-pitch pattern technology
- Rim protector

### Benefits

- ▶ Provides excellent wet and dry grip, longer tread life, and cut/chip resistance
- ▶ Delivers excellent handling stability and improved grip on soft or loose surfaces
- ▶ Consistent off-road performance with reduced stone-drilling
- ▶ Helps reduce road noise for a quieter and more comfortable ride
- ▶ Defends wheel against curb damage

# ADVENTURO AT<sup>3</sup>

ADVANCED ALL-TERRAIN



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
20	50	P265/50R20	106	T	520AB	10.6	774	BSW
	60	LT265/60R20	121/118	S	-	12.6	826	OWL
18	65	P275/65R18	114	T	520AB	10.6	815	OWL
	70	LT265/70R18	124/121	S	-	12.6	829	OWL
	70	LT275/70R18	125/122	S	-	12.6	843	OWL
17	70	LT245/70R17	108/104	S	-	12.6	776	OWL
	70	LT245/70R17	119/116	S	-	12.6	776	OWL
	70	P255/70R17	110	S	520AB	10.6	790	OWL
	70	LT265/70R17	121/118	S	-	12.6	804	OWL
	70	LT275/70R17	114/110	R	-	12.6	818	OWL
	75	LT245/75R17	121/118	S	-	12.6	800	OWL
16	75	LT225/75R16	115/112	S	-	12.6	744	OWL
	75	LT245/75R16	108/104	S	-	12.6	774	OWL
	75	LT245/75R16	120/116	S	-	12.6	774	OWL
	75	LT265/75R16	123/120	S	-	12.6	804	OWL
	75	LT265/75R16	112/109	S	-	12.6	804	OWL
	85	LT215/85R16	115/112	S	-	12.6	772	OWL
	85	LT235/85R16	120/116	S	-	12.6	806	BSW
15	75	P235/75R15	105	S	520AB	10.6	733	OWL
	-	31x10.50R15LT	109	S	-	12.6	775	OWL


UTQG Uniform Tire Quality Grade    OWL Outline White Letter    BSW Black Side Wall



**ALL-TERRAIN**

## **ADVENTURO A/T II**

An all-terrain tire for light truck and SUV drivers who want an exciting pattern appearance and require off-road capabilities. Its large, self-cleaning block design allows for greater grip, traction and control on a variety of off-road condition.



### **Features**

- Special tread compound with big pattern
  - Open shoulder grooves and wide lugs
  - Full nylon cap ply
- ▶ Ensure steady directional stability in all-surface traction and all-weather condition
  - ▶ Superior all-surface traction for all weather conditions
  - ▶ Improve safety in all-surface conditions

### **Benefits**


# ADVENTURO A/T II

ALL-TERRAIN



Inch	Series	Size	Load Index	Speed Rating	Tread Depth mm	Overall Diameter mm	Side Wall
16	75	LT215/75R16	107/104	S	11.9	728	OWL
	75	LT225/75R16	115/112	S	13.1	744	OWL
	75	LT285/75R16	122/119	S	13.3	834	OWL
	85	LT235/85R16	120/116	S	13.1	806	BSW
15	75	LT235/75R15	110/107	S	12.1	739	OWL
	75	LT235/75R15	104/101	S	12.1	739	OWL

OWL Outline White Letter






**ALL-TERRAIN**

## **ADVENTURO A/T**

An all-terrain tire for light trucks and SUVs designed to provide a great balance of highway and off-highway use for drivers who experience both conditions. The robust tread block design with shoulder-to shoulder sipes provides excellent traction and cornering grip.



### **Features**

Particular compound and structure design, super deep grooves

Unique block tread design with multiple sipes

Wide tread pattern with deep solid blocks and lugs

Open shoulder design with wide grooves

### **Benefits**

► Extend tire's life

► Extra off road traction

► Delivers superior handling and extended tread life

► Improves anti-hydroplaning capability and provides enhanced wet grip performance

# ADVENTURO A/T

ALL-TERRAIN



Inch	Series	Size	Load Index	Speed Rating	UTQG	Tread Depth mm	Overall Diameter mm	Side Wall
17	70	LT245/70R17	119/116	S	-	11.7	776	BSW
	70	LT265/70R17	121/118	S	-	11.9	804	OWL
16	70	LT225/70R16	102/99	S	-	10.7	722	OWL
	70	P275/70R16	114	T	400AB	10.2	792	OWL
	75	LT265/75R16	112/109	S	-	13.2	804	OWL
	85	LT235/85R16	120/116	S	-	13.1	806	BSW
15	75	LT235/75R15	104/101	S	-	12.1	739	OWL
	75	P235/75R15	105	S	400AB	9.2	733	OWL
	-	30×9.50R15LT	104	S	-	12.2	750	OWL
	-	31×10.50R15LT	109	S	-	12.6	775	OWL

UTQG Uniform Tire Quality Grade    BSW Black Side Wall    OWL Outline White Letter

# OFF ROAD MAXIMUM TERRAIN

## ADVENTURO M/T

ADVENTURO M/T is a maximum traction tire that is the most aggressive and rugged tire in GT Radial line designed with large, pronounced tread blocks. It provides superb traction on rough, muddy and snowy terrain.



### Features

- Aggressive pattern design
- High void ratio and pyramid shaped tread elements
- Special casing profile and solid shoulder pattern
- Reinforced casing construction

### Benefits

- ▶ Outstanding traction in all weather conditions
- ▶ Excellent resistance to aquaplaning and self-cleaning performance
- ▶ Enhanced traction and cornering
- ▶ Superior overall resistance to damage

# **ADVENTURO M/T**

## **OFF ROAD MAXIMUM TERRAIN**




Inch	Series	Size	Load Index	Speed Rating	Tread Depth mm	Overall Diameter mm	Side Wall
16	70	LT305/70R16	118/115	Q	14.6	840	OWL
	75	LT225/75R16	115/112	Q	12.6	750	OWL
	75	LT245/75R16	120/116	Q	14.6	780	OWL
	75	LT265/75R16	123/120	Q	14.6	810	OWL
	75	LT285/75R16	122/119	Q	14.6	840	OWL
	85	LT235/85R16	120/116	Q	14.6	812	OWL
15	75	LT235/75R15	104/101	S	14.6	739	OWL
	-	31x10.50R15LT	109	Q	14.6	781	OWL
	-	33x12.50R15LT	108	Q	14.6	832	OWL

OWL Outline White Letter



# COMMERCIAL LIGHT TRUCK TIRE RANGE



Optimum mileage performance



Excellent load bearing capacity



Exceptional comfort and safety




**SAFETY**

## **MAXMILER EX**

**MAXIMUM MILEAGE  
ECONOMY  
EXTRA LOAD CAPACITY**

MAXMILER EX is designed for modern, high speed commercial and passenger vans, delivering comfort and high-load capability.



### **Features**

Optimized weight construction

Reinforced belt construction

New bead design

Silica based compound

### **Benefits**

► Reduces fuel consumption and provides a high

► Enables a high load safely, even under speed

► Reduces heat build up in high load conditions and extends the life of the tire

► Combines good wet and dry handling with maximum mileage performance. Reduced heat and fuel consumption

# MAXMILER EX

## SAFETY



Inch	Series	Size	Load Index	Speed Rating	Tread Depth mm	Overall Diameter mm	Side Wall
16	60	195/60R16C LT	99/97	H	9.5	640	BSW
	60	215/60R16C LT	103/101	T	9.9	664	BSW
	65	195/65R16C LT	104/102	T	9.5	660	BSW
	65	205/65R16C LT	107/105	T	9.5	672	BSW
	65	215/65R16C LT	106/104	T	9.5	686	BSW
	65	225/65R16C LT	112/110	T	10.1	698	BSW
	65	235/65R16C LT	115/113	R	10.3	712	BSW
	75	175/75R16C LT	101/99	R	9.1	668	BSW
	75	185/75R16C LT	104/102	R	9.1	684	BSW
	75	195/75R16C LT	107/105	R	9.5	698	BSW
	75	205/75R16C LT	113/111	R	10.2	714	BSW
	75	205/75R16C LT	110/108	R	10.2	714	BSW
	75	215/75R16C LT	116/114	R	9.9	728	BSW
	75	225/75R16C LT	118/116	R	10.1	744	BSW
15	65	205/65R15C LT	102/100	T	9.7	647	BSW
	70	195/70R15C LT	104/102	R	9.5	655	BSW
	70	205/70R15C LT	106/104	R	9.7	669	BSW
	70	215/70R15C LT	109/107	S	9.9	683	BSW
	70	225/70R15C LT	112/110	R	10.1	697	BSW
14	65	175/65R14C LT	90/88	T	9.1	584	BSW
	70	165/70R14C LT	89/87	R	8.9	588	BSW
	75	215/75R14C LT	112/110	R	9.9	678	BSW
	-	185R14C LT	102/100	R	9.3	650	BSW
	-	195R14C LT	106/104	R	9.5	666	BSW

BSW Black Side Wall



**MILEAGE**



Light Truck



Symmetrical

## MAXMILER X

MAXMILER X provides superior carrying ability with good mileage.

### Features

Reinforced construction comprising of two steel belts and full nylon protector

Vertical and open horizontal groove arrangement

Specially designed tread compound

### Benefits

► Delivers robust load carrying capability

► Provides excellent wet and dry grip

► Delivers maximum mileage performance with reduced heat

Inch	Series	Load Index	Speed Rating	Tread Depth mm	Overall Diameter mm	Side Wall
<b>15</b>	185R15C LT	103/102	Q	8.4	674	BSW
<b>14</b>	175R14C LT	99/98	N	8.3	634	BSW
	185R14C LT	102/100	N	8.4	650	BSW
	195R14C LT	106/104	N	8.7	668	BSW
	205R14C LT	109/107	N	8.9	686	BSW
<b>13</b>	155R13 LT	90/88	Q	8.1	578	BSW
	165R13C LT	94/93	N	8.2	594	RBL
	175R13C LT	97/95	N	8.3	610	BSW
<b>12</b>	145R12C LT	80/78	Q	8.1	537	BSW
	155R12C LT	83/81	N	8.1	553	BSW

**BSW** Black Side Wall

# HEAVY DUTY



Light Truck



Symmetrical

## SUPER TRAVELLER 668

SUPER TRAVELLER 668 is built for light buses and commercial light trucks.

### Features

- High scrub-resistance compound and deeper depth
- Robust casing and bead
- Solid shoulder design
- Four longitudinal grooves



### Benefits

- Delivers long mileage
- For resistance to road hazard damage
- Improves stability, wear and protection
- Excellent water evacuation for strong wet performance

Inch	Series	Load Index	Speed Rating	Tread Depth mm	Overall Diameter mm	Side Wall
16	6.50R16 LT	108/107	N	9.7	750	BSW
	7.00R16 LT	115/110	N	10.7	775	BSW
	7.50R16 LT	122/118	N	11.2	805	BSW
15	7.00R15 LT	110/105	N	10.7	750	BSW

BSW Black Side Wall

# Designations, Load Index and Speed Rating



Before fitting, it is essential to check the different markings to ensure that the tire meets the maximum load and speed possibilities and/or the regulations in force.

## SAFETY WARNING

1. Never inflate beyond 40PSI (275kPa) to seat beads.
2. Tires should always be installed by qualified technicians following RMA installation procedures.
3. Never mount tires on rims which are damaged or not smooth and clean.
4. Never mount a tire with a torn bead.
5. Never inflate a tire that is lying on the floor or other flat surface.
6. Always use a tire mounting machine with hold-down device or safety cage, or bolt to vehicle axle.

**MOUNT ONLY ON A RIM OF EXACT SAME DIAMETER OF THE TIRE.**

## Speed Rating Symbol

SI	MPH	KM/H
B	31	50
C	37	60
D	40	65
E	43	70
F	50	80
G	56	90
J	62	100
K	68	110
L	75	120
M	81	130
N	87	140
P	93	150
Q	100	160
R	106	170
S	113	180
T	118	190
U	124	200
H	130	210
V	149	240
W	168	270
Y	186	300
(Y)	Above 186	Above 300

## Load Capacity Index

LI	LBS	KG	LI	LBS	KG
67	677	307	101	1819	825
68	694	315	102	1874	850
69	716	325	103	1929	875
70	739	335	104	1984	900
71	761	345	105	2039	925
72	783	355	106	2094	950
73	805	365	107	2150	975
74	827	375	108	2205	1000
75	852	387	109	2271	1030
76	882	400	110	2337	1060
77	908	412	111	2403	1090
78	937	425	112	2469	1120
79	964	437	113	2535	1150
80	992	450	114	2601	1180
81	1018	462	115	2679	1215
82	1047	475	116	2756	1250
83	1073	487	117	2833	1285
84	1102	500	118	2910	1320
85	1135	515	119	2998	1360
86	1168	530	120	3086	1400
87	1201	545	121	3197	1450
88	1235	560	122	3307	1500
89	1279	580	123	3417	1550
90	1323	600	124	3527	1600
91	1356	615	125	3658	1650
92	1389	630	126	3748	1700
93	1433	650	127	3858	1750
94	1477	670	128	3968	1800
95	1521	690	129	4079	1850
96	1565	710	130	4189	1900
97	1609	730	131	4299	1950
98	1653	750	132	4409	2000
99	1764	775	133	4542	2060
100	1819	800	134	4674	2120

## Load Range Chart

Load Range	Ply Rating	Load Range	Ply Rating
A	2	G	14
B	4	H	16
C	6	J	18
D	8	L	20
E	10	M	22
F	12	N	24

**PCR****Tire Size****13 - 20 Rim****35 - 65 Series**

Series	Dimension	CHAMPIRO UHP AS	CHAMPIRO UHP1	CHAMPIRO 228	CHAMPIRO 128	MAXTOUR	CHAMPIRO 728	CHAMPIRO VP1	CHAMPIRO 75
35	255/35ZR20		97W						
35	225/35ZR19		84W						
35	235/35ZR19		91W						
35	245/35ZR19		93W						
35	255/35ZR19		96W						
35	255/35ZR18		94W						
35	265/35ZR18		97W						
40	275/40ZR20	106Y							
40	225/40ZR19	93Y							
40	245/40ZR19	94Y							
40	255/40ZR19	100Y	96W						
40	225/40ZR18	92Y	92W						
40	235/40ZR18	95Y	95W						
40	245/40ZR18	97Y	97W						
40	205/40ZR17		84W						
40	215/40ZR17		87W						
40	245/40ZR17		91W						
40	215/40ZR16		86W						
45	245/45ZR20	103Y							
45	225/45ZR19	92W	96W						
45	245/45ZR19	98Y							
45	225/45ZR18	91W	95W						
45	235/45ZR18	94W							
45	245/45ZR18	96Y	100W						
45	255/45ZR18	99Y	103W						
45	215/45ZR18	93Y							
45	205/45ZR17		88W						
45	215/45ZR17	91W	91W						
45	225/45ZR17	94W	94W						
45	235/45ZR17	97W	97W						
45	245/45ZR17	95W	99W						
45	255/45ZR17	98W							
45	195/45R16		84V						
45	205/45R16	87W	87W						
45	195/45R15		78V						
50	225/50ZR18	95W							
50	235/50ZR18	101W							
50	205/50ZR17	93W	93W						
50	215/50R17					95V			
50	215/50ZR17	91W	95W						
50	225/50R17		94V			94V			
50	225/50ZR17	94W	98W						
50	235/50R17			96V					
50	195/50R16	84V	88V						
50	205/50R16	87V		87V					
50	205/50ZR16		91W						
50	225/50ZR16	92W	96W						
50	245/50ZR16	97W							
50	195/50R15		82V	82H 82V		82V			
50	205/50R15		89V						
55	215/55R17	94V		94V		94V			
55	215/55R17		94W						
55	225/55R17		94W						
55	225/55ZR17	97W	101W		97V		97V		
55	235/55R17			99H		99H			
55	235/55ZR17	99W							

Series	Dimension	CHAMPIRO UHP AS	CHAMPIRO UHP1	CHAMPIRO 228	CHAMPIRO 128	MAXTOUR	CHAMPIRO 728	CHAMPIRO VP1	CHAMPIRO 75
55	195/55R16		91V	87V 91H				91H	
55	205/55R16	91V	91V	91H 91V	91V			91H 91V	
55	205/55ZR16		94W						
55	215/55R16		97W		93V	93V			
55	225/55R16				95V				
55	225/55ZR16	95W	99W		82V			82H	
55	185/55R15		85V	85V	85V	85V		85H	
55	205/55R15	88V	88V						
55	185/55R14				80H				
60	225/60R18				100V				
60	P225/60R18							99H	
60	P235/60R18							102H	
60	215/60R17						96T		
60	P215/60R17							95T	
60	P225/60R17						98T	98T	
60	235/60R17							102T	
60	195/60R16				89H				
60	205/60R16				92V	92H		92H	
60	P205/60R16							91V	
60	215/60R16				95V	95H	95T	95H	
60	P215/60R16							94T 94H 94V	
60	225/60R16	98V			98V	98H	98T	98H	
60	P225/60R16							97T	
60	235/60R16					100H	100T	100H	
60	P235/60R16							99T	
60	185/60R15				84H	88H		84H	
60	P185/60R15							84T	
60	195/60R15				88V	88H	88T	88H	
60	P195/60R15							87T	
60	205/60R15				91V	91H	91T	91H 91V	
60	215/60R15				94H			94H	
60	165/60R14					75H			
60	175/60R14					79H			
60	185/60R14				82H	82H	82T	82H	
60	195/60R14				86H	86H	86T	86H	
60	175/60R13							77H	
65	P235/65R18							104T	
65	215/65R17					99H			
65	P215/65R17							98T	
65	225/65R17							102H	
65	235/65R17							104T	
65	P235/65R17							103T	
65	215/65R16						98T	98T	
65	225/65R16							100H	
65	235/65R16							103T	
65	175/65R15							84H	
65	185/65R15				88H	88H	88T	88H	
65	195/65R15				91H 91V	91H	91T	91T 91H 95T	
65	205/65R15				94V	94H	94T	94H	
65	P205/65R15							92T	
65	215/65R15						96H	96T	96H
65	P215/65R15							95T	
65	155/65R14							75T	
65	165/65R14					79T		79T	

**PCR  
Tire Size**



**12 - 16 Rim**



**65 - 80 Series**

Series	Dimension	CHAMPIRO UHP AS	CHAMPIRO UHP1	CHAMPIRO 228	CHAMPIRO 128	MAXTOUR	CHAMPIRO 728	CHAMPIRO VP1	CHAMPIRO 75
65	185/65R14			86H	86H	86T		86H	
65	P185/65R14							85T	
65	195/65R14				89H			89T	
65	155/65R13							73T	
65	165/65R13					77T		77T	
70	225/70R16					103T			
70	235/70R16					106T			
70	195/70R15						97T		
70	205/70R15					96T	96H		
70	P205/70R15							95T	
70	215/70R15					98T	98H		
70	P215/70R15							97T	
70	225/70R15					100T			
70	P225/70R15						100T		
70	235/70R15					103T			
70	P235/70R15							102T	
70	165/70R14					81T	81T	81T	
70	175/70R14						84H	88T	
70	185/70R14					88T	88H	88H	
70	195/70R14					91T	96T	91T	
70	205/70R14					95T	98H	98T	
70	145/70R13						71T	71T	
70	155/70R13						75T	75T	
70	165/70R13					79T	79T	79T	
70	175/70R13						82S		
70	175/70R13					82T	82H	82T	
70	185/70R13					86T	86H	86T	
70	145/70R12						69T		
70	155/70R12						73T		
70	165/70R12						77T		
70	175/70R12						80S		
75	205/75R15					97T			
75	P205/75R15							97S	97S
75	215/75R15					100T			
75	P215/75R15							100S	100S
75	225/75R15					102T			
75	P225/75R15							102S	102S
75	235/75R15					105T			
75	P235/75R15							105S	105S
75	185/75R14					89T	89T		
75	P185/75R14								89S
75	195/75R14						92T		
75	P195/75R14							92S	92S
75	205/75R14						95T		
75	P205/75R14							95S	95S
80	175/80R14						88T		
80	185/80R14						91T		
80	165/80R13						83S		
80	165/80R13							83H	
80	145/80R12						74T		
80	155/80R12							77T	

**SUV  
Tire Size**



**15 - 22 Rim**



**35 - 85 Series**

Series	Dimension	CHAMPIRO 528	SAVERO HT PLUS	SAVERO HT2	ADVENTURO AT3	ADVENTURO ATII	ADVENTURO A/T	ADVENTURO M/T
35	265/35R22	102V						
40	305/40R22	114V						
45	285/45R22	114V						
45	305/45R22	118V						
45	275/45R20	110V						
50	P265/50R20				106T			
50	285/50R20	116V						
50	295/50R20	118V						
50	255/50R19	103V						
55	275/55R20	117V						
55	255/55R18	109V						
60	LT265/60R20				121/118S			
60	P275/60R20			114S				
60	235/60R18	103V						
60	P245/60R18			104H				
60	P265/60R18			109T				
60	235/60R17		102H					
60	P275/60R17			110T				
65	P235/65R18		104T	104T				
65	P275/65R18				114T			
65	235/65R17	104V						
65	P235/65R17		104T	103T				
65	P245/65R17		105T	105T				
65	P255/65R17			108S				
65	265/65R17		112T					
65	P265/65R17			110T				
65	P275/65R17			113T				
65	P255/65R16			106S				
70	P255/70R18			112T				
70	LT265/70R18				124/121S			
70	LT275/70R18				125/122S			
70	225/70R17	108T						
70	P235/70R17			108S				
70	LT245/70R17	119/116R	119/116R	108/104S 119/116S		119/116S		
70	P245/70R17		108T	108T				
70	P255/70R17				110S			
70	LT265/70R17				121/118R	121/118S		121/118S
70	P265/70R17		113T	113T				
70	LT275/70R17					114/110R		
70	215/70R16		100H					
70	P215/70R16				99T			
70	225/70R16		103T					
70	LT225/70R16						102/99S	
70	P225/70R16				101T			
70	235/70R16		106T					
70	P235/70R16				104T			
70	245/70R16		107T 111T					
70	P245/70R16				106T			
70	255/70R16		111T					
70	P255/70R16				109T			
70	265/70R16		112T					
70	P265/70R16				111T			
70	275/70R16				114H			

# SUV Tire Size

 **15 - 22 Rim**  
 **35 - 85 Series**

Series	Dimension	CHAMPIRO 528	SAVERO HT PLUS	SAVERO HT2	ADVENTURO AT3	ADVENTURO A/T II	ADVENTURO A/T	ADVENTURO M/T
70	P275/70R16					114T		
70	LT305/70R16						118/115Q	
70	P215/70R15			97S				
70	255/70R15C LT			112/110S				
75	LT245/75R17				121/118S			
75	LT215/75R16					107/104S		
75	LT225/75R16	115/112R	115/112R	115/112S	115/112S		115/112Q	
75	P235/75R16			106T				
75	LT245/75R16			120/116R	108/104S 120/116S		120/116Q	
75	P245/75R16			109T				
75	LT265/75R16	119/116R	123/120R	112/109S 123/120S		112/109S	123/120Q	
75	P265/75R16			114T				
75	LT285/75R16				122/119S		122/119Q	
75	LT235/75R15			104/101R	104/101S	104/101S	104/101S	
75	P235/75R15	105T	105T	105S		105S		
80	215/80R15	102S						
85	LT215/85R16			115/112S				
85	LT235/85R16	120/116R	120/116R	120/116S	120/116S	120/116S	120/116Q	
	30x9.50R15			104R				
	30x9.50R15LT					104S		
	31x10.50R15LT	109R	109R	109S		109S	109Q	
	33x12.50R15LT						108Q	

# LT VAN Tire Size

 **15 - 22 Rim**  
 **35 - 85 Series**

Series	Dimension	MAXMILER EX	MAXMILER RX	SUPER TRAV-ELER 668
60	195/60R16C LT	99/97H		
60	215/60R16C LT	103/101T		
65	195/65R16C LT	104/102T		
65	205/65R16C LT	107/105T		
65	215/65R16C LT	106/104T		
65	225/65R16C LT	112/110T		
65	235/65R16C LT	115/113R		
65	205/65R15C LT	102/100T		
65	175/65R14C LT	90/88T		
70	195/70R15C LT	104/102R		
70	205/70R15C LT	106/104R		
70	215/70R15C LT	109/107S		
70	225/70R15C LT	112/110R		
70	165/70R14C LT	89/87R		
75	175/75R16C LT	101/99R		
75	185/75R16C LT	104/102R		
75	195/75R16C LT	107/105R		
75	205/75R16C LT	110/108R 113/111R		
75	215/75R16C LT	116/114R		
75	225/75R16C LT	118/116R		
75	215/75R14C LT	112/110R		
	6.50R16 LT		108/107N	
	7.00R16 LT		115/110N	
	7.50R16 LT		122/118N	
	185R15C LT	103/102Q		
	7.00R15 LT		110/105N	
	175R14C LT	99/98N		
	185R14C LT	102/100R	102/100N	
	195R14C LT	106/104R	106/104N	
	205R14C LT	109/107N		
	155R13 LT	90/88Q		
	165R13C LT	94/93N		
	175R13C LT	97/95N		
	145R12C LT	80/78Q		
	155R12C LT	83/81N		
	6.50R16LT		110/105Q	







**WWW.GTRADIAL.COM**

© 2015 Giti Tire Pte. Ltd. All Rights Reserved

GTPCR201508ROW